	Type	L #	Hits	Search Text	DBs
1	BRS	L1	6	(switch and first and height and second and third and insulator).clm.	US-PGPUB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	666	rf with mems with switch$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	427	actuat$4 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	387	L2 and (substrate or pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	214240	actuat$4 same (electrost$4 or electro-magnetic or electromagnetic or thermal or magnetic or piezoelectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	18337	L4 same induc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	66	L5 and (rf same mems same switch$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	48	L6 and (substrate or pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	713	333/156.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	529	333/262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	578	343/876.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB